



GARAGE DOORS



Coachman® Design 13 with REC14 Windows



ACCENT the beauty of YOUR HOME

A guide to choosing a garage door as beautiful as your home



Clopay, the right choice for your home.

- Clopay is North America's largest and most trusted garage door brand
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important – and Clopay has the widest selection available
- Clopay garage doors are designed and manufactured in the USA



*Gallery® Steel Long Panel Design
with ARCH1 Grille Windows*



DESIGN, VISUALIZE AND PURCHASE A NEW CLOPAY GARAGE DOOR

**Use the Garage Door Configurator
to design from any of your devices**

Upload a photo of your home.

See which style offers you the look
you want. With just a few simple
clicks, you can visualize the
transformation and make it a reality.



[homedepot.com/garagedoors](https://www.homedepot.com/garagedoors)





America's Favorite Garage Doors®



Coachman® Design 21 with SQ24 Windows

1

CHOOSE YOUR GARAGE DOOR SIZE

Garage door sizes are generally categorized as single or double car doors

Single Car Door



Double Car Door



2 CHOOSE YOUR GARAGE DOOR

CANYON RIDGE®
CARRIAGE HOUSE 4-LAYER



- Stained wood-look steel doors with composite overlays
- Available in our BEST construction

Overlay Detail


COACHMAN®



- Painted wood-look steel doors with composite overlays
- Available in our GOOD and BEST construction options

Overlay Detail


GALLERY® STEEL



- Grooved panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

Panel Detail

CLASSIC™ STEEL



- Classic raised panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

Panel Detail

3 CHOOSE YOUR CONSTRUCTION

The construction and insulation type improves energy efficiency, durability and noise control of the door

BEST



intelli core



ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **BEST** construction is made using 2" IntelliCore® insulation between two layers of steel.
R-Value* = 18.4

BETTER



intelli core



ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **BETTER** construction is made using 1-3/8" IntelliCore® insulation between two layers of steel.
R-Value* = 12.9

GOOD




ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **GOOD** construction is made using 1-3/8" polystyrene insulation between two layers of steel.
R-Value* = 6.5

BASIC




ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **BASIC** construction is made using one layer of durable steel.
R-Value* = 0.0

*Calculated door section R-value is in accordance with DASMA TDS-163.

4 DESIGN, VISUALIZE AND PRICE

Design your door in store or in your home




homedepot.com/garagedoors



Canyon Ridge® Carriage House 4-Layer, Design 22
with SQ24 Windows in Ultra-Grain® Cypress Medium Finish

HIGH R-VALUES



STEEL
POLYURETHANE INSULATION
STEEL

intellcore®
insulation technology




ENERGY EFFICIENCY
Provides year-round comfort



18.4 R-VALUE
Highest R-value in its class



NOISE CONTROL
Dense insulation reduces operating noise



THERMAL BREAK
Separates steel skins to improve energy efficiency



DURABILITY
Enhanced strength increases durability



RUST PREVENTION
Layered coating system helps protect steel skins

Available on the following garage doors:



CANYON RIDGE®
CARRIAGE HOUSE
4-LAYER

COACHMAN®

GALLERY® STEEL

CLASSIC® STEEL



RELIABLE OPERATION


MEDALLION™ HARDWARE UPGRADE

UPGRADE, PROTECT AND EXTEND the Life of Your Garage Door

UPGRADED HARDWARE

- Nylon ball bearing rollers for quiet, long-lasting operation
- Heavy-duty QuietFlex™ 14 gauge hinges for smooth worry-free operation
- Extended life cycle springs

Along with upgraded hardware you receive extended warranties. See below for what is included on a standard door versus a door purchased with the Medallion™ Upgrade.



ROLLERS

INCLUDED

3 Year
Limited
Warranty

Standard
Rollers

MEDALLION™
UPGRADE

LIFE
Limited
Warranty

Heavy-Duty Ball
Bearing Rollers

HINGES

INCLUDED

3 Year
Limited
Warranty

Standard 18
Gauge Hinges

MEDALLION™
UPGRADE

LIFE
Limited
Warranty

Heavy-Duty
QuietFlex™ 14
Gauge Hinges

SPRINGS

INCLUDED

3 Year
Limited
Warranty

Spring

MEDALLION™
UPGRADE

10 Year
Limited
Warranty

Extended Life
Cycle Springs

CANYON RIDGE® CARRIAGE HOUSE



Design 13 with SQ24 Windows in Ultra-Grain® Cypress Walnut Finish with Clear Cypress Overlays

AVAILABLE DESIGNS

Series 1



Design 11



Design 12



Design 13

Series 2



Design 21



Design 22



Design 23

Series 3



Design 31



Design 34



Design 37



Design 32



Design 35



Design 38



Design 33



Design 36

All doors shown in Medium Finish with Clear Cypress overlays.

4-LAYER



BEST




18.4
R-Value

4-LAYER MODELS

2" Intellicore® Polyurethane Insulation


AVAILABLE OPTIONS

Top Section/Window Options




Window grilles are Clear Cypress texture. Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".

Material Design Options




Composite cladding is not present on Carriage House 4-Layer doors. Due to the printing process, above colors may vary.

Colors



*Black and White Finish available only on Mahogany overlays. Two-tone doors are available. Doors can be ordered primed for those homeowners wishing to custom paint their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

Decorative Hardware



Warranties



Optional hardware available; see pages 14–15.



AVAILABLE DESIGNS

Series 1




Design 11

Series 2



Design 21

Series 3



Design 31




Design 32

Series 4




Design 41



Design 12



Design 22




Design 33



Design 34



Design 42



Design 13




Design 23




Design 35



Design 36



Design 43



BEST

GOOD



18.4
R-Value


6.5
R-Value

CXU MODELS
2" Intellicore®
Polyurethane Insulation

CF MODELS
1-3/8" Polystyrene
Insulation

AVAILABLE OPTIONS

Top Section/Window Options



Series 3 and 4 not available with windows. Windows are standard with 1/8" double strength clear glass or optional obscure glass with removable insert grilles.

Colors




Standard White Almond Desert Tan Sandtone

Door and overlay colors may be mixed and matched. Due to the printing process, colors may vary. **IMPORTANT:** For doors being painted black and very dark colors (having an LRV of 12 or less) contact us for special product. For colors having an LRV of 13 to 38 we require the use of tested and approved paints. A list of tested and approved paints can be found at: <http://info.garagedoors.com/lrv>.

Decorative Hardware Additional hardware options available; see pages 14–15.

INCLUDED



OPTIONAL



Warranties



GALLERY® STEEL



Long Panel Design with Long Square Grille Windows in Ultra-Grain® Oak Dark Finish

AVAILABLE DESIGNS



GR2SU/GR1SU/GR1SP/GR5S
Short Panel



GR2LU/GR1LU/GR1LP/GR4L
Long Panel

Warranties

LIFE Manufacturer Paint System Warranty	15 Year Manufacturer Paint System Warranty	10 Year Manufacturer Windows Warranty	3 Year Manufacturer Hardware Warranty
GR2SU/GR2LU/ GR1SU/GR1LU/ GR1SP/GR1LP/ GR4L	GR5S	ALL MODELS	

AVAILABLE OPTIONS

Colors

Due to the printing process, colors may vary.



Standard White Glacier White* Almond Desert Tan Sandtone
Bronze* Chocolate† Mocha Brown* Charcoal* Black†




Ultra-Grain® Oak Ultra-Grain® Oak Ultra-Grain® Oak Ultra-Grain® Oak
Medium Finish* Dark Finish* Walnut Finish† Slate Finish†

* Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP and GR1LP.
† Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR5S.
‡ Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR4L.
Black and Ultra-Grain color options are available at an additional charge.
Exterior steel on standard color doors has a natural woodgrain texture.
Exterior steel surface on an Ultra-Grain® finish door has a stucco texture.
(Model GR4L has a woodgrain texture)


Decorative Hardware







Additional hardware options available; see pages 14–15.

INCLUDED























OPTIONAL



BEST	BETTER	GOOD	BASIC
			
			
18.4 R-Value	12.9 R-Value	6.5 R-Value	0.0 R-Value
GR2SU/GR2LU 2" Intellicore® Polyurethane Insulation	GR1SU/GR1LU 1-3/8" Intellicore® Polyurethane Insulation	GR1SP/GR1LP 1-3/8" Polystyrene Insulation	GR4L/GR5S Non-Insulated

ADDITIONAL OPTIONS

Windows

 Plain Short	 Plain Long	 ARCH1 Plain	 ARCH2 Plain
 Short with Rectangular Grilles	 Long with Rectangular Grilles	 ARCH1 with Vertical Grilles	 ARCH2 with Vertical Grilles
 Short with Square Grilles	 Long with Square Grilles	 ARCH1 with Grilles	 ARCH2 with Grilles
 Wrought Iron Short	 Kristin® Short	 Trenton® Short	 Clayton™ Short
 Wrought Iron Long	 Kristin® Long	 Trenton® Long	 Clayton™ Long
 Wrought Iron ARCH			

Windows are standard with 1/8" double strength clear glass or optional obscure glass with or without snap-in grilles. Insulated double strength and obscure options are available ONLY on Best, Better and Good construction doors.


DECORATIVE HARDWARE




Hardware Description		Availability		
		COACHMAN®	CANYON RIDGE® CARRIAGE HOUSE 4-LAYER	GALLERY® STEEL
1	Standard Spade Lift Handles	✓	✓	✓
2	Standard Spade Step Plate	✓	✓	✓
3	Spade Strap Hinge*	✓	✓	✓
4	Twisted "L" Handles	✓	✓	✓
5	Twisted "T" Handle			✓
6	Escutcheon Plate(s)	✓	✓	✓
7	Spear Lift Handles	✓	✓	✓
8	Spear Step Plate	✓	✓	✓
9	Spear Strap Hinge*	✓	✓	✓
10	Colonial Lift Handles	✓	✓	✓
11	Colonial Step Plate	✓	✓	✓
12	Colonial Strap Hinge*	✓	✓	✓
13	Decorative Handles with Keyhole	✓	✓	
14	Ring Door Knocker	✓	✓	

*Door may not open properly if installed near the top, depending on opening dimensions and lift type.


Attractive black powder coated handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks and strap hinges, are available to provide the look of a classic carriage house door.





INCLUDED



**Complements Spade Lift Handles and Spade Step Plate.*







S = Steel Construction
I = Cast Iron Construction
A = Aluminum Construction

CLOPAY STEEL paint colors

Now you are able to match your home's exterior trim, windows, doors or other accents to any of the seventeen Clopay steel garage door colors! Visit the Paint Desk at The Home Depot and give them the CBP code to get an exact color match in BEHR MARQUEE[®], BEHR ULTRA[™] or BEHR PREMIUM PLUS[®] exterior paint. (BEHR, GOOD. BETTER. BEHR, BEHR MARQUEE, BEHR ULTRA and BEHR PREMIUM PLUS are trademarks of Behr Process Corporation of California.)



								
White CBP-1	Glacier White CBP-10	Almond CBP-2	Desert Tan CBP-3	Sandtone CBP-4	Bronze CBP-9	Chocolate CBP-5	Mocha Brown CBP-11	Hunter Green CBP-6
								
Gray CBP-7	Charcoal CBP-17	Black CBP-8	Medium Finish CBP-15	Cherry Finish CBP-12	Dark Finish CBP-13	Walnut Finish CBP-14	Slate Finish CBP-16	


CLASSIC™ STEEL



AVAILABLE DESIGNS



HDP20/HDPL13/2050
Short Elegant Panel



HDB | Short Traditional Panel



HDPL20/HDPL13/2053
Long Elegant Panel



HDBL | Long Traditional Panel



Elegant
Panel Detail




Traditional
Panel Detail


AVAILABLE OPTIONS

Colors


Due to the printing process, colors may vary.



Standard White



Glacier White*




Almond



Desert Tan



Sandtone



Bronze†



Chocolate



Mocha Brown*




Hunter Green†



Gray†



Charcoal*




Black*



Ultra-Grain® Classic
Medium Finish*



Ultra-Grain® Classic
Cherry Finish*









Ultra-Grain® Classic
Walnut Finish*

* Available on Models HDP20, HDPL20, HDP13 and HDPL13.

† Available on Models HDP20, HDPL20, HDP13, HDPL13, 2050 and 2053.
















Black and Ultra-Grain color options are available at an additional charge.

Exterior steel on standard color doors has a natural woodgrain texture.
Exterior steel surface on an Ultra-Grain® finish door has a stucco texture.

BEST	BETTER	GOOD	BASIC
			
			
18.4 R-Value	12.9 R-Value	6.5 R-Value	0.0 R-Value
HDP20/HDPL20 2" Intellicore® Polyurethane Insulation	HDP13/HDPL13 1-3/8" Intellicore® Polyurethane Insulation	2050/2053 1-3/8" Polystyrene Insulation	HDB/HDBL Non-Insulated

ADDITIONAL OPTIONS

Windows *Below is a sampling of windows available on the Classic™ Steel. See pages 18–19 for complete window offering.*

 Plain Short	 Charleston 508	 Madison 611	 Sunset 503
 Plain Long	 Charleston 608	 Madison Arch 613	 Sunset 603
 Colonial 509	 Prairie 510	 Sunset 501	 Sunset 601
 Stockton 612	 Prairie 610	 Sunset 605	

Warranties

LIFE Manufacturer Paint System Warranty	15 Year Manufacturer Paint System Warranty	10 Year Manufacturer Windows Warranty	3 Year Manufacturer Hardware Warranty
<small>HDP20/HDPL20/ HDP13/HDPL13/ 2050/2053</small>	<small>HDB/HDBL</small>	<small>ALL MODELS</small>	

WINDOWS

Plain Series



Plain Short



Plain Long

- Available in non-insulated single pane glass, clear acrylic or obscure glass on any model
- Insulated double pane glass and obscure glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only

Snap-In Series



Charleston 508



Prairie 510



Colonial 509



Charleston 608



Prairie 610



Stockton 612



Madison 611



Sunset 501 (4, 6, 8 or 10 panels across)



Sunset 502 (3, 6 or 9 panels across)



Madison Arch 613



Sunset 503 (4 or 8 panels across)



Sunset 601 (2, 3, 4 or 5 long panels across)



Sunset 505 (8 panels across only)



Sunset 506 (5 or 10 panels across)



Sunset 504 (7 panels across only)



Sunset 603 (2 or 4 long panels across)



Sunset 605 (4 long panels across)

- Snap-In inserts are made of tough UV-protected plastic
 - Inserts snap into the inside or outside frame of plain windows, changing the look in minutes
 - Inserts come in 15 colors to match the color of the door; Sunset windows not available on Ultra-Grain® finish doors
- Due to the printing process, colors may vary.*

Architectural Series



Plain Short




Short with Rectangular Grilles



Short with Square Grilles



Plain Long



Long with Rectangular Grilles



Long with Square Grilles



ARCH1 Plain



ARCH1 with Vertical Grilles



ARCH1 with Grilles




ARCH2 Plain



ARCH2 with Vertical Grilles



ARCH2 with Grilles




Trenton® Short*




Trenton® Long*



Wrought Iron Short†




Kristin® Short*




Kristin® Long*



Wrought Iron Long†



Clayton™ Short*



Clayton™ Long*



Wrought Iron ARCH†


- Architectural Series windows feature a larger viewing area
 - Insulated glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only
- *Classic, elegant leaded design provides privacy while allowing sunlight to pass through.
 †Wrought Iron acrylic windows not available insulated.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

Window Location



Top Section



Second from Top

- Short windows available over short and flush panels (all widths)
- Long windows available over long panels (all widths)
- Long windows available over short and flush panels (8', 9', 16' and 18"* widths only)
- Most windows come standard in top section
- Most windows available in top and second from top section

*18' not available on Model 2050.

BRIDGEPORT™ STEEL

Traditional shaker style,
versatile design choices.



EXPLORE more door options



CANYON RIDGE®

CARRIAGE HOUSE 5-LAYER,
LOUVER & MODERN

Durable faux wood
insulated garage doors.



RESERVE® WOOD

LIMITED EDITION,
MODERN & SEMI-CUSTOM

Designs handcrafted in
the beauty of natural wood.



AVANTE®

Contemporary aluminum
and glass garage doors.



MODERN STEEL™

Modern Flush and Modern Grooved
panel steel garage doors.



CONSIDER a commercial door



SHALLOW RIBBED doors

Three-layer sandwich construction available with Intellicore® polyurethane or polystyrene insulation.



DEEP RIBBED doors

Two and one-layer construction with environmentally safe polystyrene insulation conformed to panel.



ROLL-UP doors

Constructed from 26 gauge sheets, interlocked and seamed together to make a continuous curtain for full height of door.

Explore all of the garage door designs and insulation options Clopay has to offer.

See a store associate or scan here to view the Clopay garage door configurator.



[HomeDepot.com/GarageDoors](https://www.homedepot.com/GarageDoors)



America's Favorite Garage Doors®



*Gallery® Steel Long Panel Design with
Long Rectangular Grille Windows in Ultra-Grain® Oak Dark Finish*



BEAUTIFUL. DURABLE. RELIABLE.

PROFESSIONAL INSTALLATION

Let Our Qualified Experts Install Your Door
Professional Installation Includes:




Site Inspection



Delivery



Take Down



Reconnect Opener



Perimeter Seal



Final Walk-Through*

What To Expect

- Order your new garage door (*Visit, Click or Call*)
- We'll perform a site inspection to confirm your door size
- We'll contact you to schedule the installation
 - Many popular sizes and models* installed within 10 days after site inspection
 - Custom "made-to-order" garage doors installed within 4 weeks after site inspection

*Clean up and haul away old door(s) and answer homeowner's questions. Additional fees for haul away may apply in some markets.

*Ask an Associate for model and size availability in your market.

INSTALL-IT-YOURSELF

Need a Door Today?

- Ask an Associate for our selection of "In-Stock" doors
- Load it up and take it home today



Want a "Custom" Look for Your Home?

- Bring in your measurements and choose from thousands of styles, sizes and options
- We'll deliver your door in 4 weeks, FREE HOME DELIVERY included



PURCHASE OPTIONS



VISIT

Visit your local Home Depot store



CLICK

Go to [HomeDepot.com/GarageDoors](https://www.homedepot.com/GarageDoors)




CALL

Call 1-800-HOMEDEPOT (466-3337)

SPECIAL NOTES: In-Stock doors not available in every market. Additional fees apply for deliveries greater than 30 drive miles from store location. Please note that Bridgeport™ Steel, Reserve® Wood, Canyon Ridge® and Avante® doors are available ONLY professionally installed.

HOW TO MEASURE YOUR DOOR



1. Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width: _____
Height: _____

2. Measure for sideroom: 4-1/2" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET® torsion spring. 5-1/2" is required for EZ-SET® extension spring.

Sideroom: _____

3. Measure area labeled "headroom" – distance between the top of the door opening (jamb header) and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® extension spring; 12" on standard torsion springs and EZ-SET® torsion spring. 14-1/2" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® extension spring). EZ-SET® torsion spring low headroom requirement is 9".

Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.

Existing headroom: _____

Headroom needed: _____

4. Measure area labeled "backroom" – distance is measured from the garage door opening toward the back wall of the garage.

Backroom: _____

Common garage door sizes include 8' wide x 7' high, 9' wide x 7' high, and 16' wide x 7' high. Clopay manufactures most doors in nearly any size you require.

Follow us on MADE IN USA

©2022 Clopay Corporation. All rights reserved. Printed in U.S.A.
In the interest of better quality and value, we are continually improving and updating our products. Consequently, photos and illustrations may sometimes differ from present models.

D3034221-37E
REHD-REGCAT-17_REV0822